



















































ARNOLD















SCHWEISSTECHNIK GmbH








No.	Description	Picture	Dimension	Item number	Weight	Remark
1	Standard legs(Heavy)		B-80×650±30	K28-71005	9.50	
2			B-80×750±30	K28-71006	10.00	
3	Heavy-duty wheel with brake		B-80×750±30	K28-71206	11.50	
4			B-80×850±30	K28-71207	12.00	
5	Standard legs (Heavy+Adjustable)		H-500-750	K28-71301	13.00	
6	Heavy-duty wheel with brake (Adjustable)		H-600-850	K28-71401	13.50	
7	Scissor lift (Load capacity:2000kg H:350-1300mm)		1200x1200	K28-A71404	245.00	
8			1500x1000	K28-A71405	245.00	
9			1500x1500	K28-A71406	460.00	
10			2000x1000	K28-A71407	440.00	
11			2400x1200	K28-A71408	480.00	
12			3000x1500	K28-A71409	650.00	
13	Spacer block U-form (Steel Q355B + Plasma nitrided)		500x200x200	K28-A20001-PL-02	55.00	
14			1000x200x200	K28-A20002-PL-02	110.00	
15			1200x200x200	K28-A20003-PL-02	128.00	
16			1500x200x200	K28-A20004-PL-02	160.00	
17	Spacer block U-form (Steel Q355B + Plasma nitrided)		2000x200x200	K28-A20005-PL-02	210.00	
18			2400x200x200	K28-A20006-PL-02	250.00	
19			3000x200x200	K28-A20007-PL-02	320.00	
20			4000x200x200	K28-A20008-PL-02	410.00	
21	Spacer block U-form (Steel Q355B + Plasma nitrided)		500x400x200	K28-A20009-PL-02	85.00	
22			1000x400x200	K28-A20010-PL-02	162.00	
23			1200x400x200	K28-A20011-PL-02	190.00	
24			1500x400x200	K28-A20012-PL-02	240.00	
25			2000x400x200	K28-A20013-PL-02	320.00	

26	Spacer block U-form (Steel Q355B + Plasma nitrided)		2400x400x200	K28-A20014-PL-02	380.00	
27			3000x400x200	K28-A20015-PL-02	465.00	
28			4000x400x200	K28-A20016-PL-02	630.00	
29	Spacer block L-form (Steel Q355B + Plasma nitrided)		500x200x100	K28-A21001-PL-02	27.00	
30			1000x200x100	K28-A21002-PL-02	58.00	
31	Clamping and locating angles-400 left		280x100x400	K28-A22101	19.00	
32	Clamping and locating angles-400 right		280x100x400	K28-A22102	19.00	
33	Clamping and locating angles-600 left		330x100x600	K28-A22103	27.00	
34	Clamping and locating angles-600 right		330x100x600	K28-A22104	27.00	
35	Clamping and locating angles-800 left		380x100x800	K28-A22105	36.00	
36	Clamping and locating angles-800 right		380x100x800	K28-A22106	36.00	
37	Clamping and locating angles-1200 left		380x100x1200	K28-A22107	50.00	
38	Clamping and locating angles-1200 right		380x100x1200	K28-A22108	50.00	
39	Corner module		200x200x175	K28-A23001	16.50	
40	Support and console		200x200x100	K28-A24001	11.00	
41	Universal pivot and tilt angle		475x100x100	K28-A70001	9.00	

42	Clamping and locating angle small bore/bore		75x50x75	K28-A30001	1.00	
43	Clamping and locating angle small bore/oblong hole		175x50x75	K28-A30002	1.40	
44	Clamping and locating angle bore/bore		175x50x175	K28-A30003	2.50	
45	Clamping and locating angle oblong hole/oblong hole		175x50x175/200	K28-A30004	1.90	
46	Clamping and locating angle bore/oblong hole		175*50*175-KC	K28-A30005	2.20	
47	Clamping and locating angle large bore/oblong hole		200x50x275	K28-A30006	2.90	
48	Clamping and locating angle bore/bore/oblong hole		175x50x200	K28-A30007	2.80	
49	Angle bracket		175x75x175	K28-A30008	3.00	
50	Universal-stop-100		100x50x25	K28-A31001	0.75	
51	Universal stop-150		150/175x50x25	K28-A31002	0.80	
52	Universal stop-225		225/250x50x25	K28-A31003	1.40	
53	Universal stop-300		300x50x25	K28-A31004	1.90	
54	Contour stop		400x50x25	K28-A31005	0.70	
55	Stop-strip-500		500x75x25	K28-A31006	5.70	
56	Stop-strip-800		800x100x25	K28-A31007	13.50	
57	Stop-strip-1000		1000x100x25	K28-A31008	16.50	

58	Flat angle bar-175		175x200x25	K28-A32001	2.00	
59	Flat angle bar-375		375*500*25	K28-A32002	12.00	
60	V-block locations Steel blackened		$\phi 58 \times 130^\circ$	K28-33001	0.60	
61	V-block locations Aluminum alloy			K28-33101	0.25	
62	V-block locations POM			K28-33201	0.20	
63	V-block locations Steel blackened		80x50-130°	K28-33002	1.50	
64	V-block locations Aluminum alloy			K28-33102	0.60	
65	V-block locations POM			K28-33202	0.45	
66	V-block locations Steel blackened		110x50-130°	K28-33003	2.00	
67	V-block locations Aluminum alloy			K28-33103	0.90	
68	V-block locations POM			K28-33203	0.60	
69	V-block locations Steel blackened		140x50-130°	K28-33004	3.20	
70	V-block locations Aluminum alloy			K28-33104	1.20	
71	V-block locations POM			K28-33204	0.85	
72	Locating disk		50x ϕ 75x25	K28-A34001	0.75	
73			75x ϕ 100x25	K28-A34002	1.30	
74	Angle bracket		200x200x75	K28-A35001	2.00	
75	Angle-setting template		250x150x12	K28-A36001	1.40	
76	Adapter plate		150x150x25	K28-A37001	3.20	
77	Adjustable spacer		$\phi 78 \times 75-95 \text{mm}$	K28-40001	1.50	
78	Spacer set with thread		125x ϕ 50	K28-40201	1.00	
79	Compensating swing		150x350	K28-50001	2.20	

80	clamp		200x350	K28-50002	2.50	
81	Variable screw clamp 180°		220x270	K28-51001	2.20	
82			220x350	K28-51002	2.50	
83			220x500	K28-51003	3.00	
84	Variable screw clamp 45°		220x270	K28-52001	2.20	
85			220x350	K28-52002	2.50	
86			220x500	K28-52003	3.00	
87	Variable screw clamp 90°		220x250	K28-53001	2.00	
88			220x350	K28-53002	2.30	
89	Vertical toggle clamp with adaptor and countersunk screw		KVS-Y12132	K28-54001	0.80	
90	Vertical toggle clamp with adaptor and countersunk screw		KVS-Y304-CM	K28-54002	0.80	
91	Vertical toggle clamp with universal stop		KVS-F12265	K28-54101	1.60	
92	Vertical toggle clamp with universal stop		KVS-F304-EM	K28-54102	1.60	
93	PC-bolt short		φ28x50	K28-60001	0.45	
94	PC-bolt long		φ28x75	K28-60002	0.60	
95	PC-countersunk bolt short		φ28x50	K28-60101	0.40	
96	PC-countersunk bolt long		φ28x75	K28-60102	0.50	
97	Connection bolt short with screw		φ28x50	K28-60201	0.25	
98	Connection bolt long with screw		φ28x75	K28-60202	0.35	
99	FCP-bolts with handle		φ28x50	K28-60301	0.60	
100	Stop and positioning bolts		φ28x50	K28-60401	0.30	
101	Angle bushing 90°		φ28x90°	K28-80001	0.40	

102	Angle bushing 45°		φ28x45°	K28-80101	0.45	
103	2P clamping bridge with 2 clamping pad Aluminum alloy		170x35x20	K28-81001	0.90	
104	3P clamping bridge with 2 clamping pad Aluminum alloy		170x35x20	K28-81101	1.40	
105	Transport ring D28		190x130x165	K28-82001	2.00	
106	Accessory cart D28		1000x600x1100	K28-83001	68.00	
107	Assembly tools (Pump/bottle/Bench stone/Wrench/Brush)			K28-90101	2.50	
108	Ground connector K28		φ28x500A	K28-90501	0.30	